

Xcellent[®]

Want Safe and Comfort... TRY Xcellent!

A Professional Glove Solution Provider



xcellent-safety.eu

2023-2024

Why XCELLENT

+ Premium Quality at Competitive Prices

Xcellent Safety GmbH manufactures a wide range gloves in premium quality, we keep innovating and continuously improve the quality to make our gloves safer, more comfortable and with more added values.

We are glad to provide you samples or prices for your evaluation.

+ Family Owned Factory and Deeply Cooperated Factories

Not just an importer, we have family owned factory and deeply cooperated factories, professional research and development team, advanced technologies, facilities...

We can design the gloves, select the raw materials, knit the liners, make the coating formulation...

We are more professional, control the quality and deliver solutions.



Yarns Wrapping and Spinning Workshop



Dipping Production Line



Knitting Machines

+ Professional Solution Provider

Thanks to our professional teams, advanced technologies, advanced facilities and business partners worldwide, we are able to deliver our cooperating dealers and end users professional solutions to help them find the right products, improve the products they are using and design new products according to their work conditions and requirements.

+ Innovation and Continuous Quality Improvement

With our business partners worldwide (North America, Europe, Oceania ...), also thanks to our professional R&D team, We have been innovating and improving our quality in order to offer our end users the best products and to secure the business of our dealers in the work glove market.

+ Flexible

If our wide range of products does not have a suitable product for you, we create it.

Xcellent Safety GmbH
Am seestern 4, D-40547 Duesseldorf,
Germany

Email: info@xcellent-safety.eu
Web: www.xcellent-safety.eu



Xcellent[®]
Want Safe and Comfort... TRY Xcellent!

NEW



X-007



- Superior Arc Flash & Flame & Cut & Heat Protection
- Arc Rating (APV) = 10,3 cal/cm² as per ASTM F2675 / F2675M:2019. Class 2.
- Great cut protection - level D, which is good for cut hazards for works with sharp or rough edge materials
- Contact heat, convective heat and radiant heat protection
- Special coating formulation provides extra durability. Much better grip than a standard leather glove
- Super flexibility and dexterity, minimizing hand fatigue, also ideal for precision works
- Touch Screen function

Area of Applications

Arc flash or Flash-Flame exposure hazards or electrical equipment operation, welding, utility operation, some heat contact works and etc.



18-971



- The advanced 18 gauge lining technology contributes it as one of the thinnest & finest cut level D nitrile gloves
- Over 30% lighter than a normal 13 gauge cut level D nitrile glove, less hand fatigue
- XAmour quality yarns and technolog contribute to extra comfort, softness and smooth feeling
- Perfect dexterity, fitting and flexibility makes it also ideal for precision works
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area

Area of Applications

General purpose or precision works with high cut hazard in dry or little wet or light oil conditions.



18-900



- New Design - second skin feeling PU glove with cut protection level C
- Perfect dexterity, fitting and flexibility makes it ideal for precision works
- The antistatic property protects against the risk of ESD makes it also ideal for the electronics, oil and gas, textiles and other industries
- 10-finger touch screen function enables you to use all touch screen devices during work
- Special XTech Polyurethane offers a better grip performance and extra softness

Area of Applications

General purpose, precision works with high cut or ESD risk in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
X-007	13gg, Confidential	Palm, Confidential	7/S - 11/XXL	6 pairs / pack, 72 pairs / carton
18-971	18gg, UHMWPE, steel fiber, other	Palm, Sandy Nitrile	7/S - 12/XXXL	12 pairs / pack, 144 pairs / carton
18-900	18gg, UHMWPE, steel fiber, carbon, other	Palm, XTech Polyurethane	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton



18-930



- One of the most thinnest and finest cut level B glove with PU coating
- Perfect dexterity, fitting and flexibility makes it ideal for general cut protection works and also precision works
- Much less hand fatigue and more productivity
- Thick and strong PU coating makes it more durable than many similar products
- Soft and comfortable

Area of Applications

General purpose or precision works with high cut hazard in dry or light oily conditions.



18-931



- The advanced 18 gauge lining technology contributes it as one of the thinnest & finest cut level B nitrile gloves
- Over 30% lighter than a normal 13 gauge cut level B nitrile glove, less hand fatigue
- Perfect dexterity, fitting and flexibility makes it also ideal for precision works
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- OEKO-TEX standard 100 certified for skin friendly
- Touch screen function
- Soft and very comfortable

Area of Applications

General purpose or precision works with low cut hazard or contact heat hazard in dry or little wet or light oil conditions.



18-903



- Premium quality 18 gauge cut protection level D glove, much thinner and much more comfortable
- Thanks to XAmour quality yarn and technology, it offers enjoyable, smooth and cool feeling when wearing in hand
- Perfect dexterity, fitting and flexibility makes it ideal for precision works
- Minimum hand fatigue and more productivity in working
- 10-finger touch screen function
- Food contact approved, also ideal to use with a disposable nitrile/latex glove

Area of Applications

General purpose or precision works with high cut hazard and food contact works.



Art. Nr.	Material	Coating	Sizes	Packing Unit
18-930	18gg, UHMWPE, steel fiber, other	Palm, PU	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
18-931	18gg, UHMWPE mixed with others	Palm, micro-foam nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
18-903	18gg, UHMWPE, steel fiber, other	No coating	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton



12-901



- Premium quality cut protection level C glove, water and oil repellent palm
- Extra layer of coating makes it more durable and cost effective than single palm coating
- Perfect dexterity, fitting and flexibility makes it ideal for precision works
- Sandy finish provides good grip in oily and dry working condition
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- Soft and very comfortable
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or works with high cutting or contact heat hazard in oily or wet conditions.



12-902



- Premium quality, water and oil repellent, cut protection level C
- Thanks to high quality material and technology, it is very flexible, soft and comfortable
- Less hand fatigue while working
- Sandy finish provides good grip in oily and dry working condition
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or works with high cutting or contact heat hazard in oily or wet conditions.



12-903



- Water and oil repellent, a full coating offers more protection to the hand, cut protection level C
- Thanks to high quality material and technology, it is very flexible, soft and comfortable
- Less hand fatigue while working
- Sandy finish provides good grip in oily and dry working condition
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or works with high cutting or contact heat hazard in oily or wet conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-901	15gg, UHMWPE mixed with others	Palm, double nitrile (flat+sandy)	6/XS - 12/XXXL	12 pairs / pack, 144 pairs / carton
12-902	15gg, UHMWPE mixed with others	3/4 flat nitrile + palm sandy nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-903	15gg, UHMWPE mixed with others	full flat nitrile + palm sandy nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton



12-900



- Premium quality cut protection level C glove with high abrasion resistance
- Much lighter than a standard 13 gauge cut level C nitrile glove, less hand fatigue
- Perfect dexterity, fitting and flexibility makes it ideal for precision works
- Sandy finish provides good grip in oily and dry working condition
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- Soft and very comfortable

Area of Applications

General purpose or precision works with high cut hazard or contact heat hazard in dry or little wet or light oil conditions.



12-905



- Premium quality cut protection level C glove
- Extra dots offer a better grip performance to ensure a solid and safe grip, also it is more durable and cost effective
- Perfect dexterity, fitting and flexibility makes it also ideal for precision works
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- Soft, comfortable and good fitting
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or precision works with high cut hazard or contact heat hazard in dry or little wet or light oil conditions.



12-900LP



- High quality cut protection level C glove with flexibility and comfort
- Extra leather in the palm offers a much better puncture protection, more durable and a higher contact heat protection
- Reinforcement in the crotch offers extra durability and more protection while working
- Very flexible and a lighter weight of the glove liner contributes to more comfort and much less hand fatigue
- Good fitting

Area of Applications

General purpose or precision works with high cut hazard or contact heat hazard in dry or little wet or light oil conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-900	15gg, UHMWPE mixed with others	Palm, sandy nitrile	7/S - 12/XXXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
12-905	15gg, UHMWPE mixed with others	Palm, micro-foam nitrile, dots	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-900LP	15gg, UHMWPE mixed with others	Palm, micro-foam nitrile, leather	8/M - 11/XXL	6 pairs / pack, 72 pairs / carton



18-001



- **Second skin feeling.** Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- Much lighter than a standard 13 gauge PU glove
- Super soft, comfortable and perfect fit
- 10-finger touch screen function enables you to use all touch screen devices during work
- **Special XTech PU formulation** offers better grip performance in dry working conditions



18-002



- **Second skin feeling.** Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- **Around 40% lighter** than a 13 gauge nitrile glove
- Super soft, comfortable and perfect fit
- 10-finger touch screen function enables you to use all touch screen devices during work
- Good grip in light oil and dry working condition
- OEKO-TEX standard 100 certified for skin friendly



18-003



- **Second skin feeling.** Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- Extra high quality nitrile dots provides **super grip** performance and more durability
- Super soft, comfortable and perfect fit
- 10-finger touch screen function enables you to use all touch screen devices during work
- OEKO-TEX standard 100 certified for skin friendly

Area of Applications

General purpose, precision works in dry conditions.



Area of Applications

General purpose, precision works in dry or light wet / oil conditions.



Area of Applications

General purpose, precision works in dry or light wet / oil conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
18-001	18gg, Polyamide	Palm, XTech Polyurethane	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
18-002	18gg, Polyamide	Palm, micro-foam nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
18-003	18gg, Polyamide	Palm, micro-foam nitrile, dots	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



18-008



- Very light glove with **perfect dexterity, flexibility and minimum hand fatigue**
- More flexible, soft and comfortable than most of the popular 15 gauge grey nitrile gloves
- Super soft, comfortable and perfect fitting
- Good grip in oily or dry working conditions
- OEKO-TEX standard 100 certified for skin friendly

Area of Applications

General purpose, precision works in dry or light oil conditions.



18-009P



- **Water and oil repellent palm, super abrasion resistance**
- **Second skin feeling.** Extremely light glove with perfect dexterity, flexibility and minimum hand fatigue
- Sandy finish provides good grip in wet and dry working condition
- Soft, comfortable and good fitting
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or precision works with/without contact heat hazard in wet or oily conditions.



18-009



- **Water and oil repellent, super abrasion resistance**
- The 18 gauge technology with advanced coating formulation makes it more flexible and great dexterity
- Less hand fatigue compared to similar 13 or 15 gauge products
- Sandy finish provides good grip in wet and dry working condition
- Soft, comfortable and good fitting
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose or precision works with/without contact heat hazard in wet or oily conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
18-008	18gg, polyamide, spandex	Palm, sandy nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
18-009P	18gg, polyamide	Palm, sandy nitrile; Palm, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
18-009	18gg, polyester	Palm, sandy nitrile; 3/4, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton



12-330W

12-330

- Cut protection level B with great abrasion resistance
- **Special Xcellent XTech PU formulation** contributes to better grip performance and extra softness and comfort
- **Very flexible, comfortable and soft, smooth feeling**
- Ergonomic, good fitting and great dexterity makes it ideal for general purpose and some precision works

Area of Applications

General purpose, or works with low cut hazard in dry conditions.



12-350

- Cut protection level C with great abrasion resistance
- **Special Xcellent XTech PU formulation** contributes to better grip performance and extra softness and comfort
- Upgraded lining with high quality yarns offers **extra comfort, softness and lighter weight, smooth feeling**
- Ergonomic, good fitting and flexible

Area of Applications

General purpose, or works with high cut hazard in dry conditions.



12-351

- Cut protection level C with great abrasion resistance
- **Special Xcellent XTech PU formulation** contributes to better grip performance and extra softness and comfort
- Upgraded lining with high quality yarns offers **extra comfort, softness and lighter weight, smooth feeling**
- Reinforcement in the crotch greatly extends glove life to save your cost and provides extra protection in the weakest area
- Touch screen function enables you to use touch screen devices on the jobs

Area of Applications

General purpose, or works with high cut hazard in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-330W/12-330	13gg, UHMWPE mixed with others	Palm, XTech Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-350	13gg, UHMWPE mixed with others	Palm, XTech Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-351	13gg, UHMWPE mixed with others	Palm, XTech Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



12-352

- New design - level D cut protection glove with great abrasion resistance
- Thanks to the advanced yarns wrapping and knitting technology, it is still **soft, flexible and comfortable on a level D cut glove**
- **10-finger touch screen function** enables you to use all touch screen devices on the jobs
- Ergonomic and good fitting

Area of Applications

General purpose or works with high cut hazard in dry conditions.



12-360

- New Design - High quality level C (ANSI A4) cut protection glove with great abrasion resistance
- **10-finger touch screen function** enables you to use all touch screen device on the jobs
- Great flexibility and dexterity
- Softer, more comfortable and smoother than many normal quality cut C/5 PU gloves in the market
- Good to hide dirt
- **Brand promotion price**

Area of Applications

General purpose or works with high cut hazard in dry conditions.



12-380

- **The highest level cut protection - cut level F**
- Advanced yarns technology providing the highest level cut protection but still **soft, flexible and comfortable**
- Special Xcellent XTech PU formulation contributes to better grip performance and extra softness and comfort
- Good fitting and dexterity
- 10-finger touch screen function enables you to use all touch screen device on the jobs

Area of Applications

General purpose or works with very high cut hazard or contact heat hazard in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-352	13gg, UHMWPE, steel fiber, others	Palm, XTech Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-360	13gg, confidential	Palm, Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
12-380	13gg, UHMWPE, steel fiber, others	Palm, XTech Polyurethane	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



12-354

12-353



- High quality cut protection level C glove with great abrasion resistance
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- Sandy finish provides good grip in oily and dry working condition
- Soft, flexible and comfortable. Good fitting
- Contact heat protection up to 100 °C acc. to EN407
- High Visibility colour provides extra safety for challenge light conditions and perfect fit for hi-vis workwear

Area of Applications

General purpose or works with high cut hazard or contact heat hazards in dry or little wet or little oil conditions.



12-361



- **New Design** – high quality level E cut protection glove with great abrasion resistance
- Water and oil repellent palm, makes it ideal for both dry and wet working conditions
- Soft and comfortable. Great dexterity, flexibility and good fitting
- 10-finger touch screen functionality
- Contact heat protection up to 250 °C according to EN407
- Brand promotion price

Area of Applications

General purpose or works with high cut hazard or contact heat hazards in dry or little wet or little oil conditions.



12-383



- Premium quality, Super cut protection - cut level E
- Advanced yarns technology providing super cut protection but still very soft, flexible and comfortable
- Food contact approved and blue coloured
- 10-finger touch screen function enables you to use all touch screen device on the jobs
- Contact heat protection up to 100 °C according to EN407

Area of Applications

General purpose, works with very high cut hazard or contact heat hazard, food processing, or in dry or little oil or little wet conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-353/12-354	13gg, UHMWPE mixed with others	Palm, sandy nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-361	13gg, cut resistant yarns	Palm, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-383	13gg, UHMWPE, steel fiber, others	Palm, micro-foam nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



12-364



- Super cut protection at level E
- High quality latex coating provides great puncture resistance, smear free which is ideal for glass industry
- Fine crinkle finishing provides great grip performance, offers extra protection to avoid objects slipping away from hand and needs less strength to carry same object
- Water and oil repellent for the coating area

Area of Applications

General purpose or works with high cut hazard or high contact heat hazard in dry or wet or oil conditions.



12-368



- Water and oil repellent, cut protection level D
- Reinforcement greatly extends glove life to save your cost and provides extra protection in the weakest area
- Sandy finish provides super grip in oily and dry working condition
- Flexible, comfort and good fitting
- Contact heat protection up to 100 °C acc. to EN407

Area of Applications

General purpose or works with high cut hazard or contact heat hazard in oily or wet conditions.



12-260



- Food contact approved, cut level D protection
- Washable up to 36 times, very durable and cost efficient
- Great dexterity, flexibility & fitting
- Blue color for easier recognition
- Ambidextrous design
- Comfortable

Area of Applications

General purpose, food contact works or works with high cut hazard in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
12-364	13gg, UHMWPE, steel fiber, others	3/4, crinkle latex	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
12-368	13gg, UHMWPE mixed with others	Palm, sandy nitrile; 3/4, flat nitrile	7/S - 11/XXL	12 pairs / pack, 72 pairs / carton
12-260	10gg, UHMWPE, others	No coating	7/S - 11/XXL	Individual pack, 12 pairs / big pack, 120 pairs / carton



3030



3000



3006



- **New Design - 10-finger touch screen function** makes it a smart glove and enables you to use touch screen devices during the work. **A better fitting**, super flexibility and dexterity makes it ideal for precision works, such as assembly, inspection, maintenance and etc.
- OEKO-TEX standard 100 certified
- Good grip in dry and little wet working condition
- Oil and water resistance in the palm coating area

- **Super abrasion resistance with great flexibility, softness and comfort**
- Very good fitting and great dexterity
- Sandy finish offers good grip in wet, oily and dry working conditions
- 360° breathability to keep your hands cool
- Contact heat protection up to 100 degree C

- **High quality nitrile dots contribute to excellent abrasion resistance, great grip and additional durability**
- **Touch screen function** enables you to use touch screen devices during work
- Super flexible, soft and comfortable
- High visibility orange colour offers extra safe in dark condition or some outdoor works
- Contact heat protection up to 100 degree C

Area of Applications

General purpose or precision works under dry or little wet or oily conditions.



Area of Applications

General purpose or precision works under dry or light oil conditions.



Area of Applications

General purpose work under dry, little wet or little oily conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
3030	15gg, polyamide, carbon	Palm, micro-foam nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
3000	15gg, polyamide, spandex	Palm, sandy nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)
3006	15gg, polyester, spandex, other	Palm, micro-foam nitrile, nitrile dots	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton (Individual pack available)



2111



- Thanks to the advanced lining and coating technology, it is **super soft, flexible and very comfortable**
- Excellent fit and good dexterity
- The sandy finish offers great grip in dry, wet and oily conditions
- 360° breathability to keep your hands cool



3001



- **Super abrasion resistance with great flexibility, softness and comfort**
- Very good fitting and great dexterity
- Sandy finish offers good grip in wet, oily and dry working conditions
- 360° breathability to keep your hands cool
- Contact heat protection up to 100 degree C



3009



- **Waterproof and oil proof**
- Contact heat protection up to 100 degree C
- Sandy finish offers good grip in wet, oily and dry working conditions

Area of Applications

General purpose work under dry, little wet or little oily conditions.



Area of Applications

General purpose or precision works under dry or little wet or oily conditions.



Area of Applications

General purpose or precision works under dry or wet or oily conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
2111	13gg, special polyester	Palm, sandy latex	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton
3001	15gg, polyamide, spandex	Palm, sandy nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
3009	15gg, polyester	Palm, sandy nitrile; Full, flat nitrile	7/S - 11/XXL	12 pairs / pack, 144 pairs / carton



51-900



51-800



51-818 PRO



- Thanks to Xcellent WarmTech®, it offers **excellent cold resistance** which is ideal for cold storage works and winter season works
- Cut protection level C offers more protection
- High quality nitrile coating makes the glove can be more than **3 TIMES abrasive and more cost effective**
- **Water and oil repellent palm**, to prevent the water/oil go through the glove and keep the hand warm and clean
- Good grip performance in dry or little wet working conditions

- Excellent cold resistance, waterproof and windproof
- New Upgraded - combining cut protection level C
- Super softness, flexibility and comfort
- Sandy latex coating provides excellent grip in both dry and wet working condition
- Good fitting

- Great cold and heat resistance
- Cut protection level 5 (EN388:2016)
- 10 gauge brushed acrylic cut resistant liner guarantees excellent cold resistance and provides **extra comfort & softness** compared with the standard 7 gauge one in the market
- The nitrile coating makes it **more durable (2+ times abrasion resistance)** and also better for oily work
- Super softness, flexibility and comfort

Area of Applications



Works in cold conditions with / without cut hazards in dry or wet or oily conditions.

Area of Applications



Works in cold or heat conditions with / without cut hazards in dry or little wet or little oily conditions.

Area of Applications



Works in cold or heat conditions with / without cut hazards in dry or little wet or little oily conditions.

Art. Nr.	Material	Coating	Sizes	Packing Unit
51-900	15gg+7gg, brushed acrylic, cut resistant yarn, other	Palm, nitrile	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton (Individual pack available)
51-800	15gg+7gg, brushed acrylic, cut resistant yarn, other	full flat nitrile + palm sandy latex	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton
51-818 PRO	10gg, brushed acrylic, UHMWPE, others	Palm, sandy nitrile	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton (Individual pack available)



3008



51-500



12-401



- Super flexible, great dexterity, soft and comfort
- OEKO-TEX Standard 100 certified for skin-friendly
- High quality coating makes it more durable
- 360° breathability to keep your hands cool
- Great fitting

- Great cold and heat resistance
- **Super softness, flexibility, comfort and fitting**
- Sandy latex coating contributes a better grip performance
- High visibility orange color is also good for outdoor works or dark situation

- **Highest level for contact heat protection - level 4, can withstand 500 °C**
- **Highest level convective heat protection - level 4, can withstand 500 °C**
- One of the MOST flexible & comfortable heat resistant level 4 gloves in the market
- Both sides silicon coated providing excellent grip, and extra heat resistance
- TDM cut level C protection
- **Ambidextrous with two sides silicon coated design, for much longer use time, greatly save the cost**

Area of Applications



General purpose works under dry, little wet or little oily working conditions.

Area of Applications



Works in cold or heat conditions in dry or little wet or little oily conditions.

Area of Applications



Works with high contact heat or convective heat or radiant heat risk and/or cut hazard in dry conditions.

Art. Nr.	Material	Coating	Sizes	Packing Unit
3008	15gg, Polyamide, others	Palm, micro-foam nitrile	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
51-500	10gg, brushed acrylic	Palm, sandy latex	7/S - 11/XXL	12 pairs / pack, 120 pairs / carton (Individual pack available)
12-401	8gg, thermo resistant yarns	Full, silicon	10/XL	Individual pack, 6 pairs / big pack, 72 pairs / carton



30-735

30-745



- Highest level cut protection sleeve - cut level F
- Advanced yarns wrapping and knitting technology provides **super cut protection but also great wearing comfort and softness**
- The velcro design holds the sleeve in position when wearing
- Straight cuff is very good fit to wear a glove

Area of Applications

General purpose, or works with high cut hazards in dry conditions.



30-745 N



- Highest level cut protection sleeve - cut level F
- **Special design** in the upper arm together with Velcro makes it better fit the arm (no matter strong arm or slim arm), more comfortable and holds the sleeve in position when wearing
- Extra band design can hold the sleeve in position in the bottom and also more comfortable
- Advanced yarns wrapping and knitting technology provides **super cut protection but also great wearing comfort and softness**

Area of Applications

General purpose, or works with high cut hazards in dry conditions.



30-745Y



- Highest level cut protection sleeve - cut level F
- **Special design** in the upper arm together with Velcro makes it better fit the arm, comfortable and holds the sleeve in position when wearing
- Advanced yarns wrapping and knitting technology provides **super cut protection but also great wearing comfort and softness**
- High visibility color offers more safety when working in dark or outdoor conditions

Area of Applications

General purpose, or works with high cut hazards in dry conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
30-735/30-745	13gg, UHMWPE, steel fiber, others	No Coating		12 pairs / pack, 144 pairs / carton
30-745 N	13gg, UHMWPE, steel fiber, others	No Coating	M, L	12 pairs / pack, 144 pairs / carton
30-745Y	13gg, UHMWPE, steel fiber, others	No Coating		12 pairs / pack, 144 pairs / carton



X-015



- Good quality TPR pads offer additional softness and great flexibility
- Thanks to thicker and special TPR design, it offers better impact protection
- New crotch reinforcement provides better fit and comfort than others with fabric
- Extra sponge pad in the palm offers good vibration protection
- Softer and more comfortable than most similar 13 gauge products on the market
- The velcro design makes it easy to wear and keep the glove in position when wearing

Area of Applications

Works with impact or cut or contact heat or vibration hazards in dry or little wet conditions.



18-001EF



- 1 pair equates to 1.6 bottles of 500ml reclaimed and recycled, taken out of landfill. Further it significantly reduces the carbon footprint and the virgin materials
- Second Skin Feeling. Extreme light glove with perfect dexterity, flexibility and minimum hand fatigue
- Special XTech PU formulation offers better grip performance than similar products in the market
- Super soft, comfortable and perfect fit
- 10-finger touch screen functionality enables you to use all touch screen devices on the jobs
- Much lighter than a standard 13 gauge PU glove

Area of Applications

General or precise work in specific conditions.



12-370



- Cut protection level D
- **High quality leather** in the palm offers a much better puncture protection, extra durability and a higher contact heat protection
- Contact heat protection up to 100 °C
- Soft, flexible and comfortable

Area of Applications

Works with high cut hazard and / or contact heat hazard in dry or little wet conditions.



Art. Nr.	Material	Coating	Sizes	Packing Unit
X-015	15gg, UHMWPE mixed with others	Palm, sandy nitrile	8/M - 11/XXL	6 pairs / pack, 72 pairs / carton (Individual pack available)
18-001EF	18gg, 100% Recycled Polyester	Palm, XTech polyurethane	6/XS - 11/XXL	12 pairs / pack, 144 pairs / carton
12-370	13gg, UHMWPE mixed with others	Palm, leather	7/S - 11/XXL	6 pairs / pack, 72 pairs / carton