



Impact & cut & heat protection glove, 13 gauge cut level F, durable double nitrile coating.

KEY FEATURES

- Thicker and great TPR design provides great impact protection, high quality TPR pads are softer, more flexible, and comfortable.
- Double nitrile coating offers great durability and puncture resistance, water and oil repellent. Sandy finish provides great grip performance.
- Reinforced in the thumb crotch to greatly extend the glove life and increase the abrasion resistance in the weakest part of the glove.
- The Velcro design makes it easy to wear on and off and keeps the glove in position when wearing.



PRODUCT DETAILS

Liner	UHMWPE, steel fiber, others
Gauge	13
Coating	Nitrile
Finishing	Sandy
Colour	Blue / Black
Size	7,8,9,10,11
Packing	6 pairs/pack, 72 pairs/carton
Tariff number	61161020

RECOMMENDED APPLICATIONS

Works with impact hazard or cut hazard or vibration hazard or contact heat hazard or in challenging light conditions in dry or little oil or little wet conditions.

Typical industry: oil & gas industry, construction industry, automotive industry...



CERTIFICATION

CE EN21420:2020

Category II

**EN388:2016 Mechanical protection:
levels obtained in laboratory tests**

Abrasion (min.0 to max. 4): **4**
Blade cut - coupe test (Index) (min.0 to max. 5): **X**
Tear (min.0 to max. 4): **4**
Puncture (min.0 to max. 4): **4**
Cut resistance from sharp objects EN ISO
13997:1999 (min. A to max. F, X - not tested): **F**
Impact protection (P if pass, F if failed): **P**

EN388:2016



4X44FP

EN21420:2020 Dexterity (min.0 to max.5):
level 5.

STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general. The shelf life depends on the storage and other conditions. For the new product stored in a properly way, the shelf life of Xcellent X-017 can normally be 5 years.

CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

WARNING

Don't use in case of chemicals or electrical risk.
Please ensure the products are strictly used within their protection levels.

