



Excellent cold resistance glove, waterproof & windproof. Super soft and flexible. Food contact approved.

KEY FEATURES

- Excellent cold resistance, waterproof and windproof.
- Super softness, flexibility and comfort.
- Sandy latex coating provides excellent grip in both dry and wet working condition.
- Good fitting.
- Food contact approved.



PRODUCT DETAILS

Liner	Brushed Acrylic mixed with other yarns
Gauge	15 & 7
Coating	Latex & Latex
Finishing	Flat & Sandy
Colour	Orange / Orange & Black
Size	7,8,9,10,11
Packing	12 pairs/pack, 120 pairs/carton
Tariff number	61161020

RECOMMENDED APPLICATIONS

Works in cold conditions with / without cut hazards in dry or wet or oily conditions.

Such as outdoor works (with/without raining/snowing), cold storage, work with cold water, maintenance, handling sharp or rough edge parts, machine operation and etc.



CERTIFICATION

CE EN ISO 21420:2020

Category II

EN388:2016 Mechanical protection:
levels obtained in laboratory tests

Abrasion (min.0 to max. 4):	3
Blade cut - coupe test (Index) (min.0 to max. 5):	2
Tear (min.0 to max. 4):	4
Puncture (min.0 to max. 4):	2
Cut resistance from sharp objects EN ISO 13997:1999 (min. A to max. F, X - not tested):	x
Impact protection (P if pass, F if failed):	-

EN388:2016



3242X

EN ISO 21420:2020 Dexterity (min.0 to max.5):
level 5.

EN511:2006 Cold protection:
levels obtained in laboratory tests

A - Convective cold:	min.0 to max. 4
B - Contact cold:	min.0 to max. 4
C - Water penetration:	(1 if pass, 0 if failed)

EN511:2006



X21

X = not tested or testing method is unsuitable for the design of the gloves.

EN407:2020 Heat protection:
levels obtained in laboratory tests

A - Burning behaviour:	X of 4
B - Contact heat:	2 of 4
C - Convective heat:	X of 4
D - Radiant heat:	X of 4
E - Small drops of molten metal:	X of 4
F - Large quantity of molten metal:	X of 4

EN407:2020



X2XXXX

X = not tested or testing method is unsuitable for the design of the gloves.

STORAGE AND SHELF LIFE

Please store the products in original packing in a dry and cool place without direct sunlight in general. The shelf life depends on the storage and other conditions. For the new product stored in a properly way, the shelf life of Xcellent 51-802 can normally be 3 years.

CLEANING

Washing or dry-cleaning requires prior consultation with a recognized specialist, because such treatment may alter the protective properties of the glove. The gloves must always be checked for integrity before reuse. The rating with the marked performance levels based on tests on unused gloves.

WARNING

Don't use in case of chemicals or electrical risk.

Please ensure the products are strictly used within their protection levels.

Never wear gloves when operating machinery with accessible rotating or other moving parts.

